

MIAMI

Elegance
at the service
of taste



 **enofrigo**[®]
america

MIAMI

Elegance at the service of taste

A concentration of high technology, advanced lighting and the latest display strategies add visibility and emotion to any wine selection, even in small spaces.

LED lights around door frames and laminate interiors combine to create a unique sensation of depth. Enchanting light effects increase visual impact and emphasise the quality of the wines stored in this unique 'flavour chest'. Customisable layouts, spacious interiors, amazingly low consumption and a static refrigeration version capable of maintaining four different zones for storing whites and reds in the same cabinet at exactly the right temperature are the key features of this evolved and expertly designed display cabinet.





MIAMI

An innovative interpretation of the traditional wine cabinet

With improved lighting, the Miami unit offers the ultimate wine bottle display. LED stripes are positioned all along the front door frame and the internal finishing creates depth and pleasant lighting effects, while enhancing the visibility of wine bottles. Energy consumption is significantly reduced given the LED lighting and a new refrigeration system, which is controlled by an automatic device that enhances its efficiency. The product's insulation is improved by 2.36" thick panels. The door is made of 1.1" thick low emission double-glazing glass. The glass panel is embedded in a frame with magnetic gaskets. Inside the unit, the arrangement of bottles is entirely adjustable. It is possible to insert steel tubes, elegant pull-out drawers or stainless steel shelves.



Visibility

LED lighting along perimeter of the door, combined with the finishing of the internal walls, ensure the ultimate bottle display.



ECO FRIENDLY

Energy efficiency

Up to 50% less energy consumption in comparison to traditional wine cabinets due to the LED lighting, 2.36" thick insulation and the low emission double glazing glass door.



Noise

The static condensation system is designed to provide maximum noise reduction of the refrigeration equipment.



Internal system

The innovative static refrigeration system ensures the right temperature without the need for an evaporator. The bottle capacity is increased and the finishing of the internal walls provide a 360° view effect.




Internal layout

Bottles can be displayed vertically (stainless steel shelves: SH), on an incline (stainless steel tubes: T) or horizontally (pull-out drawers: DR), according to individual preferences.



Temperature

Fan assisted refrigeration. It is possible to switch off the fans to obtain static refrigeration and different temperatures. The static refrigeration operating mode provides four different temperature zones in one unit. Both red and white wines can be maintained at the most suitable temperature. The temperature can be set anywhere from 39°F to 68°F.





Colour options






The wood laminate body is available in both semi-glossy black and brushed aluminium grey. The unit's door frames are made of anodized aluminium in silver or black. Other colour options are available upon request. (Door frame remains black, silver or white)

Brushed Aluminium Grey

Semi-Glossy Black

OPTIONAL*
Semi-Glossy White

OPTIONAL*
Unfinished



* Unfinished laminate must be laquered otherwise moisture can attach wood panels. Must be stained by others before put into service. This option may have extended lead time.

MIAMI

MIAMI MEDIUM



Shown with optional interior shelving type "MIX"

MIAMI



Shown with optional interior shelving type "DR"

MIAMI B&R



Shown with optional interior shelving type "T"



MIAMI MEDIUM T - TUBES

MIAMI MEDIUM DR - 12 DRAWERS

MIAMI MEDIUM MIX - 2 TUBES / 3 DRAWERS

MIAMI MEDIUM SH - SHELVES



MIAMI T - TUBES

MIAMI DR - 12 DRAWERS

MIAMI MIX - 2 TUBES / 3 DRAWERS

MIAMI SH - SHELVES

MODEL

A1MIAMIMEDVTU/*

A1MIAMIMEDDRFVTU/*

A1MIAMIMEDMIXVTU/*

A1MIAMIMEDSHVTU/*

A1MIAMIVTU/*

A1MIAMIDRFVTU/*

A1MIAMIMIXVTU/*

A1MIAMISHVTU/*



°F



BORDEAUX




°F	(up to)	L	D	H
+39 +68	84	24	19¾	77½
+39 +68	72	24	19¾	77½
+39 +68	66	24	19¾	77½
+39 +68	108	24	19¾	77½
+39 +68	126	32¼	19¾	77½
+39 +68	96	32¼	19¾	77½
+39 +68	96	32¼	19¾	77½
+39 +68	162	32¼	19¾	77½




AIR FLOW CONTROL PROVIDED

A.T. 86°F - R.H. 55%

CLIMATE CLASS 4



MIAMI MEDIUM



MIAMI

Internal layout



T



DR



SH



MIX



* Prepacked food may be displayed



MIAMI B&R T - TUBES

MIAMI B&R DR - 12 DRAWERS

MIAMI B&R MIX - 2 TUBES / 3 DRAWERS

MIAMI B&R SH - SHELVES

MODEL #

A1MIAMIBRVTU/*

A1MIAMIBDRFVTU/*

A1MIAMIBRMIXVTU/*

A1MIAMIBRSHVTU/*



°F



(up to)

L



D

H

+39 +68 84+84 48 19¾ 77½


+39 +68 72+72 48 19¾ 77½

+39 +68 66+66 48 19¾ 77½

+39 +68 108+108 48 19¾ 77½



AIR FLOW CONTROL PROVIDED



MIAMI B&R

Two separate compressors and thermostats

A.T. 86°F - R.H. 55%
CLIMATE CLASS 4

OPTIONAL

OPT36001 (each compartment)

Prearranged removable version (without condensing unit)

OPT36002 (each compartment)

Warm white LED lighting (3000-3500° K)

OPT36003 (each compartment)

Cool white LED lighting (5500-6500° K)

OPT36004 (each compartment)

Dimmer

OPT36005

Double glazing pressure equalisation valve (> 2,900 ft or 900 m asl)



Enofrigo America Corp.
3705 William Richardson Drive
South Bend, IN 46628 U.S.A.
Phone: (574) 243 3672
info@enofrigoamerica.com

www.enofrigoamerica.com



Any reproduction of this catalogue may not correspond exactly to the commercialised versions since they are subject to laws and regulations in force in different countries. ENOFRIGO Spa claims the right to introduce changes in manufacturing process and units equipment without prior notice. Colour tones are just samples and may not correspond to the real tone of the unit.

